









# T320

## GLOBAL HOT-SELLING PoC RADIO

-  IP65 Protection, Suitable For Harsh Environments
-  Dual-Mic Noise Cancellation, Outstanding Audio Quality
-  Intelligent Dual Camera With Hd Video Capture
-  M6 Interface, Rich In Extension
-  Dual Sim Dual Standby For Better Communication Coverage
-  Support GPS/GLONASS/AGPS Positioning, Efficient Scheduling

# WORLDWIDE APPROVED PoC RADIO

**T320** is a rugged PoC radio that is favored by many users worldwide. With a compact design and high-performance integrated voice and data, the Smart PoC Radio provides stable connectivity for your organization. Superior functionality and identity are well proven in the lab and in the marketplace. Rugged, two-way radio with robust water and dust resistance. It has passed the explosion-proof test in China and got the appearance patent certificate overseas, both of which have become its bonus points. Adapted with INRICO's original iConvNet™ platform, the T320 enables audio dispatching and video dispatching, trunking dispatching, map dispatching, patrol management, etc. It is the best choice for those engaged in commercial centers, hospitality, security, industry campus, event management, airport service and more.



## Two-way Video

Synchronous communications, participants can converse with each other in real-time



## Patrol schedule

Customize the patrol routes, and notify the security of the upcoming patrols.



## User Priority

Provide priority to calls at higher or more critical levels to ensure it resolved first



## Circle To Call

Select personnel in a specific area for scheduling arrangements



## Man down

Ensure dispatchers are alerted if an employee suffers an accident, like slips, falls and physical attacks, etc.



## Geo-fencing

Geo-fencing allows dispatchers to control restricted zones, hazardous areas, etc.



# SCENARIOS



Commercial Centers



Hospitality



Security



Industry Campus



Event Management



Airport Service

# PRODUCT PARAMETERS

## CONNECTION

EU Version	GSM: B2/B3/B5/B8
	WCDMA: B1/B2/B5/B8
	TDD-LTE: B38/B39/B40/B41
	FDD-LTE: B1/B3/B5/B7/B8/B20/B28A/B28B
US Version	GSM: B2/B3/B5/B8
	WCDMA: B1/B2/B5/B8
	TDD-LTE: B38/B40
	FDD-LTE: B2/B4/B5/B7/B12/B13/B17/B26/B28A/B28B/B66
Wi-Fi	IEEE 802.11 / b / g / n, 2.4G&5G
Bluetooth	BT4.0 & BLE
NFC	Optional
Navigation	GPS, AGPS, GLONASS

## OS

OS	Android 8.1
----	-------------

## HARDWARE

RAM+ROM	1GB+8GB
USB	Micro USB 2.0
Card Slot	Standard SIM Card+Micro SIM Card+TF Card
Interface	M6
Screen	G+F Touch Screen
Screen Size	2.4inches, 240x320 Pixel
Camera	Front Camera 2 MP, Rear Camera 8 MP
Speaker	Ø36mm, 8Ω / 2W
Battery	3500mAh
Talk Time	9hrs
Standby Time	40hrs
Weight	257g
Dimension(HxWxD)	140 x 64x 28mm(Without Belt Clip and Antenna)

## CERTIFICATION

Drop	1.2m
Ingress Protection	IP65
Certification	CE/FCC/ROHS

## STANDARD ACCESSORIES



## OPTIONAL ACCESSORIES



### Inrico Technologies Co.,Ltd.

Tel.: +86-0755- 83273589 Email: sales@inricosolutions.com www.inricosolutions.com  
 A1703, Shenzhen National Engineering Laboratory Building, No. 20 Gaoxin South 7th Road , High-tech Community, Yuehai Street, Nanshan District, Shenzhen, Guangdong.



Inrico is dedicated to providing professional communication solutions to global users with quality & efficiency and enrich global wireless communications ecosystem. For more information about our products and solutions, please contact us or visit [www.inricosolutions.com](http://www.inricosolutions.com).

Inrico and stylized Inrico logo are trademarks of Inrico Technologies Co., Ltd. All rights reserved.



# iConvNet™ CONVERGENCY PLATFORM

iConvNet™ convergency platform is an integrated communication and dispatching system with audio and video communications as the core services, which integrates map positioning, multimedia data, emergency alarm, patrol & inspection, event reporting, task management and other auxiliary services.



Functions	Details	Functions	Details	Functions	Details
Video Dispatch	Two-way Video	Map Dispatch	Geo-fencing	Convergent Gateway	DMR Trunking Gateway/ IP Connection
	Video Upload		Device Positioning		DMR DMO Gateway
	Video Surveillance		Circle to Call		PDT Softswitch Gateway
	Split-screen Video (16 channels)		Route Playback, Distance Measurement		PSTN Gateway
	Video Distribution		Indoor Localization		Video Gateway
	Video Recording				
Trunking Dispatch	Private Call/ Group Call/ All Call/ Temporary Group Call	Patrol Management	Patrol Point/ Patrol Area	Expansion Application	AES256 Encryption
	Authority Management(Kill/ Stun)		Patrol Schedule		Event Report
	User Priority		Patrol Statistics		Task Dispatch
	Call History	Data Dispatch	Broadcast/ Group/ User Message		Call/ Video Conference
	Multi-Group Monitor		Text/ Image/ Video/ Voice		IoT
	Voice Recording for Dispatch/ Single Device	Audio Dispatch	Full Duplex Call		AI Intelligent Analysis
	SOS		Interrupt/ Override/ Monitor/ Call Pickup/ Call Transfer/ Call Queue		Accessories Management
		Narrowband Individual Call/ All call	Assets Management		

(Remark: Green color means the function is on developing)