

Hytera



Hytera Smart 4G Body Camera

**SC580**

*Small Body. Big Power.*

# CHALLENGES

## *Record Evidence*



### **Video Recorder**

- Improve officer behaviors
- Reduce potential conflict

## *Stream live Video*



### **CCTV Camera**

- Master on-site situations
- Make a quick decision
- Assign resources

## *Stay Connected*



### **Two-Way Radio**

- Report on-site situation
- Ask for help

# THREE IN ONE

## BE A VIDEO RECORDER

- Keep evidence intact
- Enhance accountability and transparency

## BE A MOBILE SURVEILLANCE CAMERA

- Improve situational awareness



## BE A PTTOC RADIO

- Always stay connected


# PRODUCT POSITIONING

On the scene, officers confront increasingly complex situations.

Investigation



Accident handling



Patrol



Daily Work

Emergency



Crisis control



Major events



Disaster relief

# HIGHLIGHTS

Electronic Image  
Stabilization



Secure the  
Evidence



Last Beyond  
the Shift



Push-to-talk



Record  
Intuitively



Video Call While  
Recording



120s Pre-event  
Recording



Dual-stream

**Be a Video Recorder**

---

# *Hytera Starlight Night Vision Test*

# ELECTRONIC IMAGE STABILIZATION

Shoot stable and sharp images

*Running scene*



*Without Image Stabilization*



*With Image Stabilization*



# OUTLAST YOUR SHIFT

3200mAh



- 10 hours continues recording

- *Type-C port*

# BUILT-IN BACKUP BATTERY

- Keep recording for **3-5 minutes** during battery replacement



*Built-in backup battery*

# PURPOSE-BUILT DESIGN

## SLIDE-TO-RECORD DESIGN

- Up to end recording
- Down to start recording



## DEDICATED RECORDING INDICATOR


- Designed with dual LED indicators, of which one is dedicated to show recording status.

# PRE-EVENT RECORDING

Keep evidence complete

120s pre-recorded video

Recording button toggled



# AES-256 ENCRYPTION

Protect the evidence from being tampered




- Without professional tools, the exported files cannot be decrypted and viewed

- Frame-by-frame encryption

# HASH ALGORITHM

Keep the integrity of evidence

- Auto generate unique file signature



# RUGGED DESIGN

- CE
- FCC
- MIL-STD-810G

***IP68***

***2 meters drop test***

**Be a Mobile Surveillance Camera**

---





- Live 1080P video at the first-person perspective

# MOBILE CAMERA

Serve as the supplement of the CCTV camera



# DUAL-STREAM

Streaming while saving



**1080P  
Local Recording**



**720P Real-time  
Video  
Uploading**

- Save HD video locally while feeding compressed video from camera to base
- Fast video uploading
- Save network traffic

**Be a PTTToC Radio**

---

# VOICE CALL

Private and group call over public network



**PUSH-TO-TALK (PTT) BUTTON**

- Professional intercom app

**NOISE CANCELLATION**

# VIDEO CALL

Fell like talking face to face

- See who is talking behind the screen
- Get a bigger picture of what is going on



# ACCESSORIES

## Standard



Battery



Belt Clip



USB-C  
Data Cable



Power  
Adapter

## Optional



Multi-Unit Charger



S-Mount



Magnet  
Mount



Shoulder  
Strap  
Harness

# Specifications

	SC580	SC580 (Starlight night vision)
Dimensions	(H x W x D)	90×55×26.3mm
Weight	Without battery	158g, 172g (With Belt Clip)
Camera	FOV	121°; 150°
	Night Vision	Infrared night vision; Starlight night vision
Battery	Continuous Video Recording Time	≥ 10 hours
	Capacity	3200mAh
Display	Charging Time	≤ 3.5 hours
	Size	2.0 inches
	Type	TFT LCD color display
Positioning	Satellite Positioning	GPS/BDS/GLONASS/A-GPS

# Specifications

Recording	Memory	16GB/32GB/64GB/128GB
	Video File Types	MP4
	Video Resolutions and Frames Per Second	<ul style="list-style-type: none"><li>• 480p@30FPS</li><li>• 720p@30FPS</li><li>• 1080p@30FPS</li></ul>
	Video Coding Format	G1.0/G2.0
	Audio File Format	AAC
	Photo Resolution	16MP
Connection	WLAN	802.11 a/b/g/n/ac
	BT	BT5.1, Supporting BLE.
	Interface	Type-C
Speaker	Speaker Power	1.0W
Environmental	IP Rating	IP68
	Drop Test	2.0m
	Operating Temperature	-20°C ~ +60°C
	Certification	MIL-STD-810G, CE, FCC



# Highlights of SC580 compared with VM580D



VM580D

VS



SC580

- With the innovative design, the SC580 is more professional to operate.
- Comes with front and rear cameras.
- Ten hours continuous video recording.
- USB Type-C port and supports USB3.0 protocol.
- 120s pre-event recording time
- Android 11 operating system
- Dual stream supported
- 802.11a/b/g/n/ac supported.
- BT5.1 Supported

# Comparison



SC580



VM580D

Operating system	Android 11	Android 7.1
Dimensions	90×55×26.3mm	108×62×26.2mm
Weight	177g (With Belt Clip)	172g (With Belt Clip)
Battery Capacity	3200mAh	3000mAh
Recording Time	10 hours (720p@30FPS)	8 hours (720p@30FPS)
Camera	Dual Camera	Single Camera
Interface	Type-C	Micro USB
Dual-stream	Supported	None
EIS Stabilization	Supported	None
Night Vision	Infrared night vision /Starlight night vision	Infrared night vision
WLAN	802.11a/b/g/n/ac	802.11 b/g/n
BT	BT5.1	BT4.2
Positioning	GPS,BDS,GLONASS,AGPS,	GPS/BDS/GLONASS/AGPS
Pre-event recording	120s	≤30s
IP Rating	IP68	IP68

Hytera 

