





READY FOR EFFICIENCY



Android 12 OS Simplify your workday

With the Android 12 OS, the PNC460 delivers the familiar experience and ease of use that the professionals want. More importantly, it provides an open and inclusive platform to run a wide variety of key apps, making everyday tasks easier and faster.



Hytera-developed Toolkit **Help you work better**

With versatile ready-to-use Hytera-developed tools such as high beam, noise meter, gradienter, altimeter, plumb, pedometer, and protractor, the PNC460 lets you work efficiently and effortlessly.







GROSS WT. PAYLOAD TARE WT. CUBE



Large HD Screen **View more. Do more.**

As a good assistant, the PNC460 helps you work more efficiently. The stunning 5-inch screen gives you plenty of space to use multiple apps at work. Additionally, this screen is sunlight readable and sensitive enough to react the touch of gloved hands and wet fingers.



Precise Positioning Pinpoint your device and personnel

Thanks to the built-in dual-frequency GPS (L1+L5) chip, the PNC460 provides real-time, precise location for the dispatche with the accuracy improved to 2 meters. Know where your devices are. Keep your personnel safe.





Push-to-Talk **Stay connected anywhere, anytime**

With the Hytera HyTalk Pro app, the PNC460 can communicate with PDT, DMR, or TETRA radio over the 2G, 3G, LTE, or WLAN network. It delivers instant one-to-one or one-to-group communications anywhere in the world once you press down the large and tactile PTT key. This ensures flow of information at all time, even during the most critical circumstances.





Professional Acoustic System **Deliver loud and clear audio**

With the powerful speaker and sophisticated noise cancellation technologies, the PNC460 delivers crystal-clear audio in any noisy environment such as electrical maintenance field, port, and factory. This best-in-class audio promises a high-quality communication experience in any work environments.

Boosted Loudness

• 3-watt ultra linear dual-speaker

Maximized Clarity

- Al-based noise cancellation
- Echo reduction
- Wind noise cancellation
- Feedback howling reduction



External Antenna Make communications smoother and more stable

Unlike the radios with the built-in antenna, the PNC460 comes with the external antenna that has a 70% higher RX capability. So even in the area with weak signal strength such as mountain and underground garage, the PNC460 still conveys accurate information without missing any words.



Powerful Camera System Improve situational awareness

The PNC460 has unmatched photography capabilities, thanks to a 50 MP rear camera HDR technology, and image stabilization algorithm. It can capture clear pictures and stable live videos in the field, and feed them to the command center in real time over the LTE or WLAN network. This is invaluable for dispatcher to know what happened, significantly improving collaboration and outcomes.

Application Scenarios







Industrial Park

Transportation

Electricity







Customs Airport Logistics

Specifications

GSM: 900/1800 WCDMA: B1/B3/B8 Frequency Range TDD-LTE: B34/B38/B40 FDD-LTE: B1/B3/B7/B8/B20/B28 Operating System Android 12 4 GB RAM + 64 GB ROM Storage TF Card 128 GB (max.) 164 mm × 77 mm × 14 mm Dimensions (L \times W \times D) 275 g Weight Screen Size 5.0 inches Screen Resolution 1920 × 1080 SIM Slots 2 × Nano-SIM GPS (L1&L5)/A-GPS/BDS/GLONASS/Galileo Location Sensor Acceleration/gyroscope/geomagnetic/opto-sensor 2.4 GHz&5 GHz, 802.11 a/b/g/n/ac WLAN ВТ BT 5.0 Available NFC USB Type-C port Interfaces 3.5 mm audio jack Battery Capacity 4,500 mAh Charging Interface USB Type-C port Speaker 3 W (max.) Available Motor Cameras Rear: 50 MP; Front: 8 MP Video Resolution 1080p@60fps Operating Temperature -20°C to +60°C −30°C to +70°C Storage Temperature IEC 61000-4-2 Electro-Static Discharge (ESD) ±12 kV (air) ±6 kV (contact) IP Rating IP68 Drop Resistance 1.5 m

Accessories







Power Adapter







Power Cord



Remote-mount Earset



BT Earpiece (with PTT)



Wireless Ring PTT



Wireless Remote Speaker Microphone



Charger









Hytera Communications Corporation Limited

Stock Code: 002583.SZ

Address: Hytera Tower, Hi-Tech Industrial Park North, 9108# Beihuan Road, Nanshan District, Shenzhen, P.R.C

Tel: +86-755-2697 2999 **Fax:** +86-755-8613 713 **Post:**518057 Https://www. hytera.com marketing@hytera.com









Hytera retains right to change the product design and specification. Should any printing mistake occur, Hytera doesn't bear relevant responsibility. Little difference between real product and product indicated by printing materials will occur by printing reason.

HYT, Hytera are registered trademarks of Hytera Communications Corporation Limited. © 2023 Hytera Communications Corporation Limited. All Rights Reserved.